

Irrigation Timer - Sprinkler/Irrigation Time Switch with 14-Day Skipper

Item R8806P101D82



TECHNICAL DATA

General	
Model Number	R8806P101D82
Description	Sprinkler/Irrigation Time Switch with 14-Day Skipper
UPC Code	078275005105
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited
Control Specifications	
Minimum ON/OFF Times	12 min
Maximum ON/OFF Times	20 hours, 45 minutes
Maximum ON/OFF Operations	44
Tripper Actuating Time	12 min
Mechanism Type	Analog/Mechanical
Mechanical Specifications	
Enclosure Type	Indoor/outdoor type 3R plastic
Number of Trippers Included	12
Dimensions	
Product Dimensions (H x W x D) in	10 x 6.5 x 4 in
Load Ratings	
Clock Motor Voltage	208/277 VAC, 60 Hz
Electrical Specifications	
Switch Type	DPST
Load Voltage	240 VAC, 60 Hz
Amps Per Pole	30 A
HP	3



Packaging		
Unit Carton Dimensions (H x W x L) in	4.25 x 7.31 x 11.75 in	
Environmental Specifications		
Temperature (operation)	-40 °F to 130 °F / (-40 °C to 54 °C)	
Standards and Certifications		
CSA Certification	cCSAus	
California Proposition 65	None	



ACCESSORIES



156T1950A Set of 12 Trippers for T1900, T2000, C8800, R8800 and T8800 Series



133T700A Micro Switch for T8800 and R8800 Series



156T1954A 14 Skipper Pins for R8800, and T8800 Series



107T73 Replacement Day Wheel Pins for T8800 and R8800 Series



107T119 Tripper (Silver) for T8800 and R8800 Series (Day Skipper)



133T1115A Toggle Switch for T8800 and R8800 Series



143T138 Relay Kit, DPST, 3 HP, 240 VAC (S)



156T1950AD12 12 Bags of 156T1950A Trippers for T1900, T2000, C8800, R8800, and T8800 Series



WG730-14D 125 VAC, 60 Hz Motor for R8800, T1900, T1970, and T8800 Series



WG730-14DMX 125 VAC, 60 Hz Motor for R8800, T1900, T1970, and T8800 Series



WG733-14D T1970, and T8800 Series



WG733-14DMX 208-277 VAC, 60 Hz Motor for R8800, T1900, 208-277 VAC, 60 Hz Motor for R8800, T1900, T1970, and T8800 Series



156T2978A Package Accessory Trippers