

new



### Description

The Pro-LED modular series with integral electronic driver operates 3000K LEDs for maintenance free 50,000 hour life using 1/8 the energy and virtually no heat when compared to halogen & xenon. Pro-LED fixtures are optimized for fast permanent installation, mounting either flush to the rear backsplash or to the front lip of cabinetry to suit project conditions and homeowner preference. Pro-LED fixtures are environmentally friendly and contain no harmful mercury.

### Features

- Latest generation high output / high efficiency Nichia brand LEDs for maximum reliability, performance, and color and consistency
- 70% of initial illumination at end of 50,000 hour rated life—LEDs will not burn out
- Cool to touch operation with virtually no heat on the cabinet bottom
- No UV or forward projected heat
- Hinged lens captured by spring loaded retention bar cannot accidentally fall out
- Modular design for maximum flexibility and quick installation allows up to 40 fixtures to plug together using the supplied internal straight connector or optional jumper cords
- Rear wireway access cover with flush non-metallic cable clamp and push in electrical connectors facilitate wiring without opening the fixture
- Available in Black, Brushed Bronze, Brushed Silver and Designer White finishes
- Consult factory for dimming information

### Listing

UL/C-UL Listed


### Finishes




Black



Brushed Bronze



Brushed Silver



Designer White

### Ordering Information\*


Catalog No.	Description
UPL09-BL	9-1/2", 2 LEDs, Black
UPL09-BZ	9-1/2", 2 LEDs, Brushed Bronze
UPL09-SL	9-1/2", 2 LEDs, Brushed Silver
UPL09-WH	9-1/2", 2 LEDs, Designer White
UPL14-BL	14", 4 LEDs, Black
UPL14-BZ	14", 4 LEDs, Brushed Bronze
UPL14-SL	14", 4 LEDs, Brushed Silver
UPL14-WH	14", 4 LEDs, Designer White
UPL22-BL	22", 6 LEDs, Black
UPL22-BZ	22", 6 LEDs, Brushed Bronze
UPL22-SL	22", 6 LEDs, Brushed Silver
UPL22-WH	22", 6 LEDs, Designer White
UPL30-BL	30", 8 LEDs, Black
UPL30-BZ	30", 8 LEDs, Brushed Bronze
UPL30-SL	30", 8 LEDs, Brushed Silver
UPL30-WH	30", 8 LEDs, Designer White

### Accessories

Catalog No.	Description
JC3-8-BL	8" Jumper Cord, Black
JC3-8-WH	8" Jumper Cord, Designer White
JC3-17-BL	17" Jumper Cord, Black
JC3-17-WH	17" Jumper Cord, Designer White
JC3-26-BL	26" Jumper Cord, Black
JC3-26-WH	26" Jumper Cord, Designer White
ULH-CONN	3/8" Miniature Die-Cast Electrical Connector
ULH-CP-BL	6' Cord & Plug, Black
ULH-CP-WH	6' Cord & Plug, Designer White
ULH-DWM-BL	Direct Wire Module, Black
ULH-DWM-WH	Direct Wire Module, Designer White

\*Fixture includes: 1-watt Nichia LEDs  
Mounting hardware  
Electrical connector (ULH-CONN)  
Joiner connector

### Dimensions



# Pro-Xenon Low Voltage

1-Lamp, 2-Lamp, 3-Lamp, 4-Lamp Fixtures



Undercabinet Lighting

## Features

- 12-volt xenon lamps offer slightly warmer color rendering as compared to halogen
- Integral reflector spaced away from cabinet bottom maximizes light output while reducing fixture/cabinet contact temperature
- Dimmable with standard ELV type wall box dimmers or integral high/low/off rocker switch
- Hinged lens captured by spring loaded retention bar cannot accidentally fall out
- Modular design for maximum flexibility and quick installation allows up to ten fixtures to plug together using the supplied internal straight connector or optional jumper cords
- Rear wireway access cover with flush non-metallic cable clamp and push in electrical connectors facilitate wiring without opening the fixture
- Miniature die-cast fitting for flexible metal conduit, off-center knock-outs and extra mounting plate for feed-through fixture-to-fixture loop wiring increase installation versatility
- Available in Black, Brushed Bronze, Brushed Silver and Designer White finishes



## Description

The Pro-Xenon series offers a slightly warmer color rendering than halogen using warmer tone illumination from long-life low voltage xenon lamps. Pro-Xenon fixtures are optimized for fast, permanent installation, mounting either flush to the backsplash or to the front lip of cabinetry to suit project conditions and homeowner preference.

## Listing

UL/C-UL Listed

## Finishes



Black



Brushed Bronze



Brushed Silver



Designer White

## Ordering Information\*


Catalog No.	Description
UPX109-BL	9", 1 Lamp, Black
UPX109-BZ	9", 1 Lamp, Brushed Bronze
UPX109-SL	9", 1 Lamp, Brushed Silver
UPX109-WH	9", 1 Lamp, Designer White
UPX214-BL	14", 2 Lamps, Black
UPX214-BZ	14", 2 Lamps, Brushed Bronze
UPX214-SL	14", 2 Lamps, Brushed Silver
UPX214-WH	14", 2 Lamps, Designer White
UPX322-BL	22", 3 Lamps, Black
UPX322-BZ	22", 3 Lamps, Brushed Bronze
UPX322-SL	22", 3 Lamps, Brushed Silver
UPX322-WH	22", 3 Lamps, Designer White
UPX430-BL	30", 4 Lamps, Black
UPX430-BZ	30", 4 Lamps, Brushed Bronze
UPX430-SL	30", 4 Lamps, Brushed Silver
UPX430-WH	30", 4 Lamps, Designer White

\*Fixture includes: 12V 20W Bi-pin high-output xenon lamp(s)  
Mounting hardware  
Electrical connector (ULH-CONN)  
Joiner connector

## Accessories

Catalog No.	Description
JC3-8-BL	8" Jumper Cord, Black
JC3-8-WH	8" Jumper Cord, Designer White
JC3-17-BL	17" Jumper Cord, Black
JC3-17-WH	17" Jumper Cord, Designer White
JC3-26-BL	26" Jumper Cord, Black
JC3-26-WH	26" Jumper Cord, Designer White
ULH-CONN	3/8" Miniature Die-Cast Electrical Connector
ULH-CP-BL	6' Cord and Plug, Black
ULH-CP-WH	6' Cord and Plug, Designer White
ULH-DWM-BL	Direct Wire Module, Black
ULH-DWM-WH	Direct Wire Module, Designer White
UPX-LAMP	12V 20W Bi-pin High-Output Xenon Replacement Lamp

## Dimensions





### Description

The Pro-Halogen Series of undercabinet lighting delivers the best color rendering and maximum light output from the whitest light source, halogen lamps. The efficient operation of low voltage lamps, combined with a unique housing/reflector system, reduces mounting surface temperatures to be comparable with xenon fixtures, but with the superior light quality of halogen. Pro-Halogen fixtures are optimized for fast, permanent installation, mounting either flush to the backsplash or to the front lip of cabinetry to suit project conditions and homeowner preference.


### Features

- 12-volt halogen lamps for optimal color rendering
- Integral reflector spaced away from cabinet bottom maximizes light output while reducing fixture/cabinet contact temperature
- Dimmable with standard ELV type wall box dimmers or integral high/low/off rocker switch
- Slim, 1" extruded aluminum profile
- Hinged lens captured by spring loaded retention bar cannot accidentally fall out
- Modular design for maximum flexibility and quick installation allows up to ten fixtures to plug together using the supplied internal straight connector or optional jumper cords
- Miniature die-cast fitting for flexible metal conduit, off-center knock-outs and extra mounting plate for feed-through fixture-to-fixture loop wiring increase installation versatility
- Available in Black, Brushed Bronze, Brushed Silver and Designer White finishes

### Listing

UL/C-UL Listed


### Finishes




Black



Brushed Bronze



Brushed Silver



Designer White

### Ordering Information\*


Catalog No.	Description
ULH109-BL	9", 1 Lamp, Black
ULH109-BZ	9", 1 Lamp, Brushed Bronze
ULH109-SL	9", 1 Lamp, Brushed Silver
ULH109-WH	9", 1 Lamp, Designer White
ULH214-BL	14", 2 Lamps, Black
ULH214-BZ	14", 2 Lamps, Brushed Bronze
ULH214-SL	14", 2 Lamps, Brushed Silver
ULH214-WH	14", 2 Lamps, Designer White
ULH322-BL	22", 3 Lamps, Black
ULH322-BZ	22", 3 Lamps, Brushed Bronze
ULH322-SL	22", 3 Lamps, Brushed Silver
ULH322-WH	22", 3 Lamps, Designer White
ULH430-BL	30", 4 Lamps, Black
ULH430-BZ	30", 4 Lamps, Brushed Bronze
ULH430-SL	30", 4 Lamps, Brushed Silver
ULH430-WH	30", 4 Lamps, Designer White

### Accessories

Catalog No.	Description
JC3-8-BL	8" Jumper Cord, Black
JC3-8-WH	8" Jumper Cord, Designer White
JC3-17-BL	17" Jumper Cord, Black
JC3-17-WH	17" Jumper Cord, Designer White
JC3-26-BL	26" Jumper Cord, Black
JC3-26-WH	26" Jumper Cord, Designer White
ULH-CONN	3/8" Miniature Die-Cast Electrical Connector
ULH-CP-BL	6' Cord & Plug, Black
ULH-CP-WH	6' Cord & Plug, Designer White
ULH-DWM-BL	Direct Wire Module, Black
ULH-DWM-WH	Direct Wire Module, Designer White

\*Fixture includes: T3 12V 20W Bi-pin halogen lamp(s)  
Mounting hardware  
Electrical connector (ULH-CONN)  
Joiner connector

### Dimensions



# Pro-Fluorescent

8W, 14W, 21W, 28W Fixtures

ENERGY EFFICIENT

**Juno**



## Features

- Fixtures include cool operating, energy efficient 3000K high-color rendering T5 fluorescent lamp
- 20,000 hour rated lamp life\*
- Premium UV stabilized acrylic diffuser remains pliable and will not discolor
- Solid front design minimizes perceived fixture brightness
- State of the art 120-volt electronic ballast provides instant lamp starting and quiet, flicker-free operation
- Modular design for maximum flexibility and quick installation allows up to ten fixtures to plug together using the supplied internal straight connector or optional jumper cords
- Maximum energy efficiency:
  - 8 watts = 40 watts halogen
  - 14 watts = 75 watts halogen
  - 21 watts = 100 watts halogen
  - 28 watts = 150 watts halogen
- Available in Black, Brushed Bronze, Brushed Silver and Designer White finishes

## Listing

UL/C-UL Listed, Energy Star Certified

\* UPF12 supplied with an 8-watt lamp rated at 7500 hours




## Description

The Pro-Fluorescent modular series fixtures offer highly efficient illumination in a shallow, easy-to-conceal profile. Ideal for undercabinet, undershelf, and task lighting, where maximum energy efficiency, long lamp life, and cool operation are desired. Pro-Fluorescent fixtures are optimized for fast permanent installation, mounting either flush to the rear backsplash or to the front lip of cabinetry to suit project conditions and homeowner preference.

Undercabinet Lighting


## Finishes



Black



Brushed Bronze



Brushed Silver



Designer White


## Ordering Information\*

Catalog No.	Description
UPF12-BL	12-7/16", 8W T5 3000K, Black
UPF12-BZ	12-7/16", 8W T5 3000K, Brushed Bronze
UPF12-SL	12-7/16", 8W T5 3000K, Brushed Silver
UPF12-WH	12-7/16", 8W T5 3000K, Designer White
UPF22-BL	22-3/4", 14W T5 HE 3000K, Black
UPF22-BZ	22-3/4", 14W T5 HE 3000K, Brushed Bronze
UPF22-SL	22-3/4", 14W T5 HE 3000K, Brushed Silver
UPF22-WH	22-3/4", 14W T5 HE 3000K, Designer White
UPF34-BL	34-1/2", 21W T5 HE 3000K, Black
UPF34-BZ	34-1/2", 21W T5 HE 3000K, Brushed Bronze
UPF34-SL	34-1/2", 21W T5 HE 3000K, Brushed Silver
UPF34-WH	34-1/2", 21W T5 HE 3000K, Designer White
UPF46-BL	46-5/16", 28W T5 HE 3000K, Black
UPF46-SL	46-5/16", 28W T5 HE 3000K, Brushed Silver
UPF46-WH	46-5/16", 28W T5 HE 3000K, Designer White

## Accessories

Catalog No.	Description
JC3-8-BL	8" Jumper Cord, Black
JC3-8-WH	8" Jumper Cord, Designer White
JC3-17-BL	17" Jumper Cord, Black
JC3-17-WH	17" Jumper Cord, Designer White
JC3-26-BL	26" Jumper Cord, Black
JC3-26-WH	26" Jumper Cord, Designer White
ULH-CONN	3/8" Miniature Die-Cast Electrical Connector
ULH-CP-BL	6' Cord & Plug, Black
ULH-CP-WH	6' Cord & Plug, Designer White
ULH-DWM-BL	Direct Wire Module, Black
ULH-DWM-WH	Direct Wire Module, Designer White

## Dimensions



\*Fixture includes: T5 3000K tri-phosphor fluorescent lamp  
Mounting hardware  
Electrical connector (ULH-CONN)

**J**  
JUNO LIGHTING GROUP  
by Schneider Electric