

GRAFIK Eye® QS Reference List

November 2009

Build a GRAFIK Eye® QS Model Number

Build a **STANDARD**

GRAFIK Eye QS model number (RF only)

QSGR **J** - **6** **E** - **1** **T** WH

RF Frequency

J = 434 MHz
K = 868 MHz (CE)

Top Door Color

Omit = same as unit
T = translucent

Number of Shade Zones

Omit = none
1 = 1 zone

Unit Type

P = Phase Control Triac
E = EcoSystem Control
PCE = Phase Control Triac (CE)
D = DALI Control (CE)

Number of Zones

Phase Control Triac	EcoSystem or DALI Control
3 = 3 zones	6 = 6 zones
4 = 4 zones	8 = 8 zones
6 = 6 zones	16 = 16 zones

Build a **NON-STANDARD**

GRAFIK Eye QS model number (RF or non-RF)

Rules

For any non-standard units, you must order

BOTH a base unit and a faceplate kit.

Base unit

QSGR **J** - **6** **D**

Unit Type

P = Phase Control Triac
E = EcoSystem Control
PCE = Phase Control Triac (CE)
D = DALI Control (CE)

RF Frequency

Omit = non-RF
J = 434 MHz
K = 868 MHz (CE)

Number of Zones

Phase Control Triac	EcoSystem or DALI Control
3 = 3 zones	6 = 6 zones
4 = 4 zones	8 = 8 zones
6 = 6 zones	16 = 16 zones

Faceplate kit

(includes coordinating stripe and buttons)

QSGFP - **3** **WH** - **SGN**

Engraving

See page 21
for engraving codes

Unit Color/Finish

See page 21 for
color/finish codes





Top Door Color

Omit = same as unit
T = translucent

Number of Shade Zones





Omit = none
1 = 1 zone
2 = 2 zones
3 = 3 zones

GRAFIK Eye® QS (Phase Control)



Standard Phase Control Units, 800 W/Channel, 2000 W Total, 120-127 V, 220-240 V, 434 MHz		
	QSGRJ-3P-WH	Control unit, 3 lighting zones, matte white, 0 shade zones
	QSGRJ-3P-TWH	Control unit, 3 lighting zones, matte white, translucent top, 0 shade zones
	QSGRJ-4P-WH	Control unit, 4 lighting zones, matte white, 0 shade zones
	QSGRJ-4P-TWH	Control unit, 4 lighting zones, matte white, translucent top, 0 shade zones
	QSGRJ-6P-WH	Control unit, 6 lighting zones, matte white, 0 shade zones
	QSGRJ-6P-TWH	Control unit, 6 lighting zones, matte white, translucent top, 0 shade zones
	QSGRJ-3P-1WH	Control unit, 3 light zones, matte white, 1 shade zone
	QSGRJ-3P-1TWH	Control unit, 3 light zones, matte white, translucent top, 1 shade zone
	QSGRJ-4P-1WH	Control unit, 4 light zones, matte white, 1 shade zone
	QSGRJ-4P-1TWH	Control unit, 4 light zones, matte white, translucent top, 1 shade zone
	QSGRJ-6P-1WH	Control unit, 6 light zones, matte white, 1 shade zone
	QSGRJ-6P-1TWH	Control unit, 6 light zones, matte white, translucent top, 1 shade zone
Base Phase Control Unit, 800 W/Channel, 2000 W Total, 120-127 V, 220-240 V, 434 MHz Faceplate Sold Separately		
	QSGRJ-3P	Base control unit, 3 lighting zones
	QSGRJ-4P	Base control unit, 4 lighting zones
	QSGRJ-6P	Base control unit, 6 lighting zones
Base Phase Control Unit, 800 W/Channel, 2000 W Total, 120-127 V, 220-240 V, non-RF Faceplate Sold Separately		
	QSGR-3P	Base control unit, 3 lighting zones, non-RF
	QSGR-4P	Base control unit, 4 lighting zones, non-RF
	QSGR-6P	Base control unit, 6 lighting zones, non-RF

GRAFIK Eye® QS (EcoSystem®)



Standard Phase and EcoSystem Control Units, 3 Phase Control Zones available w/800 W/Channel, 2000 W Total, EcoSystem digital addressable loads, 120-227 V, 220-240 V, 434 MHz

 	QSGRJ-6E-WH	Control unit, 6 lighting zones, matte white, 0 shade zones
	QSGRJ-6E-TWH	Control unit, 6 lighting zones, matte white, translucent top, 0 shade zones
	QSGRJ-8E-WH	Control unit, 8 lighting zones, matte white, 0 shade zones
	QSGRJ-8E-TWH	Control unit, 8 lighting zones, matte white, translucent top, 0 shade zones
	QSGRJ-16E-WH	Control unit, 16 lighting zones, matte white, 0 shade zones
	QSGRJ-16E-TWH	Control unit, 16 lighting zones, matte white, translucent top, 0 shade zones
 	QSGRJ-6E-1WH	Control unit, 6 lighting zones, matte white, 1 shade zone
	QSGRJ-6E-1TWH	Control unit, 6 lighting zones, matte white, translucent top, 1 shade zone
	QSGRJ-8E-1WH	Control unit, 8 lighting zones, matte white, 1 shade zone
	QSGRJ-8E-1TWH	Control unit, 8 lighting zones, matte white, translucent top, 1 shade zone
	QSGRJ-16E-1WH	Control unit, 16 lighting zones, matte white, 1 shade zone
	QSGRJ-16E-1TWH	Control unit, 16 lighting zones, matte white, translucent top, 1 shade zone

Base Phase and EcoSystem® Control Units, 3 Phase Control Zones available w/800 W/Channel, 2000 W Total, EcoSystem digital addressable loads, 120-227 V, 220 - 240 V, 434 MHz, Faceplate Sold Separately

 	QSGRJ-6E	Base control unit, 6 lighting zones
	QSGRJ-8E	Base control unit, 8 lighting zones
	QSGRJ-16E	Base control unit, 16 lighting zones









Base Phase and EcoSystem® Control Units, 3 Phase Control Zones available w/800 W/Channel, 2000 W Total, EcoSystem digital addressable loads, 120-227 V, 220 - 240 V, non-RF, Faceplate Sold Separately

 	QSGR-6E	Base control unit, 6 lighting zones, non-RF
	QSGR-8E	Base control unit, 8 lighting zones, non-RF
	QSGR-16E	Base control unit, 16 lighting zones, non-RF





Listings

UL, CSA, NOM, CEC, FCC Part 15 Class B, IC RSS-210, SCT

GRAFIK Eye® QS (Phase Control—CE)

Standard Phase Control Units, 230 V, 868 MHz		
 	QSGRK-3PCE-WH	Control unit, 3 lighting zones, matte white, 0 shade zones, 500 W/channel, 1500 W total
	QSGRK-3PCE-TWH	Control unit, 3 lighting zones, matte white, translucent top, 0 shade zones, 500 W/channel, 1500 W total
	QSGRK-4PCE-WH	Control unit, 4 lighting zones, matte white, 0 shade zones, 500 W/channel, 2000 W total
	QSGRK-4PCE-TWH	Control unit, 4 lighting zones, matte white, translucent top, 0 shade zones, 500 W/channel, 2000 W total
	QSGRK-6PCE-WH	Control unit, 6 lighting zones, matte white, 0 shade zones, 500 W/channel, 2300 W total
	QSGRK-6PCE-TWH	Control unit, 6 lighting zones, matte white, translucent top, 0 shade zones, 500 W/channel, 2300 W total
 	QSGRK-3PCE-1WH	Control unit, 3 lighting zones, matte white, 1 shade zone, 500 W/channel, 1500 W total
	QSGRK-3PCE-1TWH	Control unit, 3 lighting zones, matte white, translucent top, 1 shade zone, 500 W/channel, 1500 W total
	QSGRK-4PCE-1WH	Control unit, 4 lighting zones, matte white, 1 shade zone, 500 W/channel, 2000 W total
	QSGRK-4PCE-1TWH	Control unit, 4 lighting zones, matte white, translucent top, 1 shade zone, 500 W/channel, 2000 W total
	QSGRK-6PCE-1WH	Control unit, 6 lighting zones, matte white, 1 shade zone, 500 W/channel, 2300 W total
	QSGRK-6PCE-1TWH	Control unit, 6 lighting zones, matte white, translucent top, 1 shade zone, 500 W/channel, 2300 W total
Base Phase Control Units, 230 V, 868 MHz, Faceplate Sold Separately		
 	QSGRK-3PCE	Base control unit, 3 lighting zones, 500 W/channel, 1500 W total
	QSGRK-4PCE	Base control unit, 4 lighting zones, 500 W/channel, 2000 W total
	QSGRK-6PCE	Base control unit, 6 lighting zones, 500 W/channel, 2300 W total
Base Phase Control Units, 230 V, non-RF, Faceplate Sold Separately		
 	QSGR-3PCE	Base control unit, 3 lighting zones, 500 W/channel, 1500 W total, non-RF
	QSGR-4PCE	Base control unit, 4 lighting zones, 500 W/channel, 2000 W total, non-RF
	QSGR-6PCE	Base control unit, 6 lighting zones, 500 W/channel, 2300 W total, non-RF

GRAFIK Eye® QS (DALI—CE)

Standard DALI Control Units, digital addressable loads, 220-240 V, 868 MHz		
	QSGRK-6D-WH	Control unit, 6 lighting zones, matte white, 0 shade zones
	QSGRK-6D-TWH	Control unit, 6 lighting zones, matte white, translucent top, 0 shade zones
	QSGRK-8D-WH	Control unit, 8 lighting zones, matte white, 0 shade zones
	QSGRK-8D-TWH	Control unit, 8 lighting zones, matte white, translucent top, 0 shade zones
	QSGRK-16D-WH	Control unit, 16 lighting zones, matte white, 0 shade zones
	QSGRK-16D-TWH	Control unit, 16 lighting zones, matte white, translucent top, 0 shade zones
	QSGRK-6D-1WH	Control unit, 6 lighting zones, matte white, 1 shade zone
	QSGRK-6D-1TWH	Control unit, 6 lighting zones, matte white, translucent top, 1 shade zone
	QSGRK-8D-1WH	Control unit, 8 lighting zones, matte white, 1 shade zone
	QSGRK-8D-1TWH	Control unit, 8 lighting zones, matte white, translucent top, 1 shade zone
	QSGRK-16D-1WH	Control unit, 16 lighting zones, matte white, 1 shade zone
	QSGRK-16D-1TWH	Control unit, 16 lighting zones, matte white, translucent top, 1 shade zone
Base DALI Control Units, digital addressable loads, 220 - 240 V, 868 MHz, Faceplate Sold Separately		
	QSGRK-6D	Base control unit, 6 lighting zones
	QSGRK-8D	Base control unit, 8 lighting zones
	QSGRK-16D	Base control unit, 16 lighting zones
Base DALI Control Units, digital addressable loads, 220 - 240 V, non-RF, Faceplate Sold Separately		
	QSGR-6D	Base control unit, 6 lighting zones, non-RF
	QSGR-8D	Base control unit, 8 lighting zones, non-RF
	QSGR-16D	Base control unit, 16 lighting zones, non-RF

Listings

CE

GRAFIK Eye® QS Kits

GRAFIK Eye QS Faceplate Kits

[includes default stripe and buttons (see pages 22-23)]

Color options: Architectural Matte, Satin Color Matte, Architectural Metal, and Anodized Metal Finishes (see page 21 for color and engraving codes)

	QSGFP-(color)-(engraving code)	Faceplate kit, 0 shade zones
	QSGFP-T (color)-(engraving code)	Faceplate kit, translucent top, 0 shade zones
	QSGFP-1 (color)-(engraving code)	Faceplate kit, 1 shade zone
	QSGFP-1T (color)-(engraving code)	Faceplate kit, translucent top, 1 shade zone
	QSGFP-2 (color)-(engraving code)	Faceplate kit, 2 shade zones
	QSGFP-2T (color)-(engraving code)	Faceplate kit, translucent top, 2 shade zones
	QSGFP-3 (color)-(engraving code)	Faceplate kit, 3 shade zones
	QSGFP-3T (color)-(engraving code)	Faceplate kit, translucent top, 3 shade zones



GRAFIK Eye Stripe Kit

Color Options: Architectural Matte, Satin Color Matte, Architectural Metal, and Anodized Metal Finishes (see page 21 for color codes)

	QSGS-(color)-(engraving code)	GRAFIK Eye QS stripe kit
---	-------------------------------	--------------------------


GRAFIK Eye Button Kits

Color Options: Architectural Matte Finishes (see page 21 for color and engraving codes)


	QSGB-3BRL-(color)-(engraving code)	GRAFIK Eye QS 3-button with raise/lower replacement kit (shade buttons)
	QSGB-5B-(color)-(engraving code)	GRAFIK Eye QS 5-button replacement kit (scene buttons)

Build a seeTouch® QS Model Number

Build a seeTouch QS keypad model number




Build an international seeTouch QS keypad model number



seeTouch® QS Wallstations (insert style)

seeTouch® QS Wallstations (insert style)

Color options: Architectural Matte, Satin Color Matte, Architectural Metal, and Anodized Metal Finishes
(see page 21 for color and engraving codes)




QSW2-1BI-(color)-(engraving code)	seeTouch QS insert style 1-button wallstation
QSW2-2BI-(color)-(engraving code)	seeTouch QS insert style 2-button wallstation
QSW2-3BI-(color)-(engraving code)	seeTouch QS insert style 3-button wallstation
QSW2-5BI-(color)-(engraving code)	seeTouch QS insert style 5-button wallstation
QSW2-7BI-(color)-(engraving code)	seeTouch QS insert style 7-button wallstation
QSW2-2BRLI-(color)-(engraving code)	seeTouch QS insert style 2-button wallstation with raise/lower
QSW2-3BRLI-(color)-(engraving code)	seeTouch QS insert style 3-button wallstation with raise/lower
QSW2-5BRLI-(color)-(engraving code)	seeTouch QS insert style 5-button wallstation with raise/lower
QSW2-1RLDI-(color)-(engraving code)	seeTouch QS insert style 3-button and 2-button wallstation with raise/lower
QSW2-2RLDI-(color)-(engraving code)	seeTouch QS insert style dual 2-button wallstation with raise/lower
QSW2-3BDI-(color)-(engraving code)	seeTouch QS insert style dual 3-button wallstation
QSW2-2BRLIRI-(color)-(engraving code)	seeTouch QS insert style 2-button wallstation with infrared receiver and raise/lower
QSW2-3BRLIRI-(color)-(engraving code)	seeTouch QS insert style 3-button wallstation with infrared receiver and raise/lower
QSW2-5BRLIRI-(color)-(engraving code)	seeTouch QS insert style 5-button wallstation with infrared receiver and raise/lower

seeTouch® QS Wallstations (non-insert style)

seeTouch® QS Wallstations (non-insert style)

Color options: Architectural Matte, Architectural Metal, and Anodized Metal Finishes
(see page 21 for color and engraving codes)




QSWS2-1BN-(color)-(engraving code)	seeTouch QS non-insert style 1-button wallstation
QSWS2-2BN-(color)-(engraving code)	seeTouch QS non-insert style 2-button wallstation
QSWS2-3BN-(color)-(engraving code)	seeTouch QS non-insert style 3-button wallstation
QSWS2-5BN-(color)-(engraving code)	seeTouch QS non-insert style 5-button wallstation
QSWS2-7BN-(color)-(engraving code)	seeTouch QS non-insert style 7-button wallstation
QSWS2-2BRLN-(color)-(engraving code)	seeTouch QS non-insert style 2-button wallstation with raise/lower
QSWS2-3BRLN-(color)-(engraving code)	seeTouch QS non-insert style 3-button wallstation with raise/lower
QSWS2-5BRLN-(color)-(engraving code)	seeTouch QS non-insert style 5-button wallstation with raise/lower
QSWS2-1RLDN-(color)-(engraving code)	seeTouch QS non-insert style 3-button and 2-button wallstation with raise/lower
QSWS2-2RLDN-(color)-(engraving code)	seeTouch QS non-insert style dual 2-button wallstation with raise/lower
QSWS2-3BDN-(color)-(engraving code)	seeTouch QS non-insert style dual 3-button wallstation
QSWS2-2BRLIRN-(color)-(engraving code)	seeTouch QS non-insert style 2-button wallstation with infrared receiver and raise/lower
QSWS2-3BRLIRN-(color)-(engraving code)	seeTouch QS non-insert style 3-button wallstation with infrared receiver and raise/lower
QSWS2-5BRLIRN-(color)-(engraving code)	seeTouch QS non-insert style 5-button wallstation with infrared receiver and raise/lower

seeTouch® QS Faceplate Kits (insert style)

seeTouch® QS Faceplate Kits (insert style)

Includes faceplate, buttons, and insert.

Color options: Architectural Matte, Satin Color Matte, Architectural Metal, and Anodized Metal Finishes
(see page 21 for color and engraving codes)




QSW2R-1BI-(color)-(engraving code)	seeTouch QS insert style 1-button faceplate kit
QSW2R-2BI-(color)-(engraving code)	seeTouch QS insert style 2-button faceplate kit
QSW2R-3BI-(color)-(engraving code)	seeTouch QS insert style 3-button faceplate kit
QSW2R-5BI-(color)-(engraving code)	seeTouch QS insert style 5-button faceplate kit
QSW2R-7BI-(color)-(engraving code)	seeTouch QS insert style 7-button faceplate kit
QSW2R-2BRLI-(color)-(engraving code)	seeTouch QS insert style 2-button faceplate kit with raise/lower
QSW2R-3BRLI-(color)-(engraving code)	seeTouch QS insert style 3-button faceplate kit with raise/lower
QSW2R-5BRLI-(color)-(engraving code)	seeTouch QS insert style 5-button faceplate kit with raise/lower
QSW2R-1RLDI-(color)-(engraving code)	seeTouch QS insert style 3-button and 2-button faceplate kit with raise/lower
QSW2R-2RLDI-(color)-(engraving code)	seeTouch QS insert style dual 2-button faceplate kit with raise/lower
QSW2R-3BDI-(color)-(engraving code)	seeTouch QS insert style dual 3-button faceplate kit
QSW2R-2BRLIRI-(color)-(engraving code)	seeTouch QS insert style 2-button faceplate kit with infrared receiver and raise/lower
QSW2R-3BRLIRI-(color)-(engraving code)	seeTouch QS insert style 3-button faceplate kit with infrared receiver and raise/lower
QSW2R-5BRLIRI-(color)-(engraving code)	seeTouch QS insert style 5-button faceplate kit with infrared receiver and raise/lower

seeTouch® QS Faceplate Kits (non-insert style)

seeTouch® QS Faceplate Kits (non-insert style)

Includes faceplate and buttons.

Color options: Architectural Matte, Architectural Metal, and Anodized Metal Finishes
(see page 21 for color and engraving codes)



QSW2R-1BN-(color)-(engraving code)	seeTouch QS non-insert style 1-button faceplate kit
QSW2R-2BN-(color)-(engraving code)	seeTouch QS non-insert style 2-button faceplate kit
QSW2R-3BN-(color)-(engraving code)	seeTouch QS non-insert style 3-button faceplate kit
QSW2R-5BN-(color)-(engraving code)	seeTouch QS non-insert style 5-button faceplate kit
QSW2R-7BN-(color)-(engraving code)	seeTouch QS non-insert style 7-button faceplate kit
QSW2R-2BRLN-(color)-(engraving code)	seeTouch QS non-insert style 2-button faceplate kit with raise/lower
QSW2R-3BRLN-(color)-(engraving code)	seeTouch QS non-insert style 3-button faceplate kit with raise/lower
QSW2R-5BRLN-(color)-(engraving code)	seeTouch QS non-insert style 5-button faceplate kit with raise/lower
QSW2R-1RLDN-(color)-(engraving code)	seeTouch QS non-insert style 3-button and 2-button faceplate kit with raise/lower
QSW2R-2RLDN-(color)-(engraving code)	seeTouch QS non-insert style dual 2-button faceplate kit with raise/lower
QSW2R-3BDN-(color)-(engraving code)	seeTouch QS non-insert style dual 3-button faceplate kit
QSW2R-2BRLIRN-(color)-(engraving code)	seeTouch QS non-insert style 2-button faceplate kit with infrared receiver and raise/lower
QSW2R-3BRLIRN-(color)-(engraving code)	seeTouch QS non-insert style 3-button faceplate kit with infrared receiver and raise/lower
QSW2R-5BRLIRN-(color)-(engraving code)	seeTouch QS non-insert style 5-button faceplate kit with infrared receiver and raise/lower


seeTouch® QS Button Kits (insert style)

seeTouch QS Button Kits (insert style)

Color options: Architectural Matte and Limited Satin Color® Matte Finishes–

Taupe, Snow, Eggshell and Biscuit

(see page 21 for color and engraving codes)



QSW2B-1BI-(color)-(engraving code)	seeTouch QS insert style 1-button kit
QSW2B-2BI-(color)-(engraving code)	seeTouch QS insert style 2-button kit
QSW2B-3BI-(color)-(engraving code)	seeTouch QS insert style 3-button kit
QSW2B-5BI-(color)-(engraving code)	seeTouch QS insert style 5-button kit
QSW2B-7BI-(color)-(engraving code)	seeTouch QS insert style 7-button kit
QSW2B-2BRLI-(color)-(engraving code)	seeTouch QS insert style 2-button kit with raise/lower
QSW2B-3BRLI-(color)-(engraving code)	seeTouch QS insert style 3-button kit with raise/lower
QSW2B-5BRLI-(color)-(engraving code)	seeTouch QS insert style 5-button kit with raise/lower
QSW2B-1RLDI-(color)-(engraving code)	seeTouch QS insert style 3-button and 2-button kit with raise/lower
QSW2B-2RLDI-(color)-(engraving code)	seeTouch QS insert style dual 2-button kit with raise/lower
QSW2B-3BDI-(color)-(engraving code)	seeTouch QS insert style dual 3-button kit
QSW2B-2BRLIRI-(color)-(engraving code)	seeTouch QS insert style 2-button kit with infrared receiver and raise/lower
QSW2B-3BRLIRI-(color)-(engraving code)	seeTouch QS insert style 3-button kit with infrared receiver and raise/lower
QSW2B-5BRLIRI-(color)-(engraving code)	seeTouch QS insert style 5-button kit with infrared receiver and raise/lower

seeTouch® QS Button Kits (non-insert style)

seeTouch QS Button Kits (non-insert style)

Color options: Architectural Matte and Limited Satin Color® Matte Finishes–

Taupe, Snow, Eggshell and Biscuit


(see page 21 for color and engraving codes)

	QSW2B-1BN-(color)-(engraving code)	seeTouch QS non-insert style 1-button kit
	QSW2B-2BN-(color)-(engraving code)	seeTouch QS non-insert style 2-button kit
	QSW2B-3BN-(color)-(engraving code)	seeTouch QS non-insert style 3-button kit
	QSW2B-5BN-(color)-(engraving code)	seeTouch QS non-insert style 5-button kit
	QSW2B-7BN-(color)-(engraving code)	seeTouch QS non-insert style 7-button kit
	QSW2B-2BRLN-(color)-(engraving code)	seeTouch QS non-insert style 2-button kit with raise/lower
	QSW2B-3BRLN-(color)-(engraving code)	seeTouch QS non-insert style 3-button kit with raise/lower
	QSW2B-5BRLN-(color)-(engraving code)	seeTouch QS non-insert style 5-button kit with raise/lower
	QSW2B-1RLDN-(color)-(engraving code)	seeTouch QS non-insert style 3-button and 2-button kit with raise/lower
	QSW2B-2RLDN-(color)-(engraving code)	seeTouch QS non-insert style dual 2-button kit with raise/lower
	QSW2B-3BDN-(color)-(engraving code)	seeTouch QS non-insert style dual 3-button kit
	QSW2B-2BRLIRN-(color)-(engraving code)	seeTouch QS non-insert style 2-button kit with infrared receiver and raise/lower
	QSW2B-3BRLIRN-(color)-(engraving code)	seeTouch QS non-insert style 3-button kit with infrared receiver and raise/lower
	QSW2B-5BRLIRN-(color)-(engraving code)	seeTouch QS non-insert style 5-button kit with infrared receiver and raise/lower

International seeTouch® QS (insert style)

International seeTouch QS (insert style)

Color options: International and Architectural Metal Finishes
(see page 21 for color and engraving codes)




QSWE-2BI-(color)-(engraving code)	International seeTouch QS insert style 2-button wallstation
QSWE-3BI-(color)-(engraving code)	International seeTouch QS insert style 3-button wallstation
QSWE-4BI-(color)-(engraving code)	International seeTouch QS insert style 4-button wallstation
QSWE-5BRLI-(color)-(engraving code)	International seeTouch QS insert style 5-button wallstation with raise/lower
QSWE-5BRLIRI-(color)-(engraving code)	International seeTouch QS insert style 5-button wallstation with infrared receiver and raise/lower
QSWE-6BRLI-(color)-(engraving code)	International seeTouch QS insert style dual wallstation with 3-button and 3-button with raise/lower
QSWE-7BRLI-(color)-(engraving code)	International seeTouch QS insert style 7-button wallstation with raise/lower
QSWE-8BRLI-(color)-(engraving code)	International seeTouch QS insert style 8-button wallstation with raise/lower
QSWE-8BRLIRI-(color)-(engraving code)	International seeTouch QS insert style 8-button wallstation with infrared receiver and raise/lower
QSWE-10BRLI-(color)-(engraving code)	International seeTouch QS insert style 10-button wallstation with raise/lower

International seeTouch® QS (non-insert style)

International seeTouch QS (non-insert style)

Color options: International and Architectural Metal Finishes
(see page 21 for color and engraving codes)




QSWE-2BN-(color)-(engraving code)	International seeTouch QS non-insert style 2-button wallstation
QSWE-3BN-(color)-(engraving code)	International seeTouch QS non-insert style 3-button wallstation
QSWE-4BN-(color)-(engraving code)	International seeTouch QS non-insert style 4-button wallstation
QSWE-5BRLN-(color)-(engraving code)	International seeTouch QS non-insert style 5-button wallstation with raise/lower
QSWE-5BRLIRN-(color)-(engraving code)	International seeTouch QS non-insert style 5-button wallstation with infrared receiver and raise/lower
QSWE-6BRLN-(color)-(engraving code)	International seeTouch QS non-insert style dual wallstation with 3-button and 3-button with raise/lower
QSWE-7BRLN-(color)-(engraving code)	International seeTouch QS non-insert style 7-button wallstation with raise/lower
QSWE-8BRLN-(color)-(engraving code)	International seeTouch QS non-insert style 8-button wallstation with raise/lower
QSWE-8BRLIRN-(color)-(engraving code)	International seeTouch QS non-insert style 8-button wallstation with infrared receiver and raise/lower
QSWE-10BRLN-(color)-(engraving code)	International seeTouch QS non-insert style 10-button wallstation with raise/lower

International seeTouch® QS Faceplate Kits (insert style)

International seeTouch® QS Faceplate Kits (insert style)

Includes faceplate, buttons and insert.

Color options: International and Architectural Metal Finishes
(see page 21 for color and engraving codes)




QSWER-2BI-(color)-(engraving code)	International seeTouch QS insert style 2-button faceplate kit
QSWER-3BI-(color)-(engraving code)	International seeTouch QS insert style 3-button faceplate kit
QSWER-4BI-(color)-(engraving code)	International seeTouch QS insert style 4-button faceplate kit
QSWER-5BRLI-(color)-(engraving code)	International seeTouch QS insert style 5-button faceplate kit with raise/lower
QSWER-5BRLIRI-(color)-(engraving code)	International seeTouch QS insert style 5-button faceplate kit with infrared receiver and raise/lower
QSWER-6BRLI-(color)-(engraving code)	International seeTouch QS insert style dual faceplate kit with 3-button and 3-button with raise/lower
QSWER-7BRLI-(color)-(engraving code)	International seeTouch QS insert style 7-button faceplate kit with raise/lower
QSWER-8BRLI-(color)-(engraving code)	International seeTouch QS insert style 8-button faceplate kit with raise/lower
QSWER-8BRLIRI-(color)-(engraving code)	International seeTouch QS insert style 8-button faceplate kit with infrared receiver and raise/lower
QSWER-10BRLI-(color)-(engraving code)	International seeTouch QS insert style 10-button faceplate kit with raise/lower

International seeTouch® QS Faceplate Kits (non-insert style)

International seeTouch® QS Faceplate Kits (non-insert style)

Includes faceplate and buttons.

Color options: International and Architectural Metal Finishes
(see page 21 for color and engraving codes)




QSWER-2BN-(color)-(engraving code)	International seeTouch QS non-insert style 2-button faceplate kit
QSWER-3BN-(color)-(engraving code)	International seeTouch QS non-insert style 3-button faceplate kit
QSWER-4BN-(color)-(engraving code)	International seeTouch QS non-insert style 4-button faceplate kit
QSWER-5BRLN-(color)-(engraving code)	International seeTouch QS non-insert style 5-button faceplate kit with raise/lower
QSWER-5BRLIRN-(color)-(engraving code)	International seeTouch QS non-insert style 5-button faceplate kit with infrared receiver and raise/lower
QSWER-6BRLN-(color)-(engraving code)	International seeTouch QS non-insert style dual faceplate kit with 3-button and 3-button with raise/lower
QSWER-7BRLN-(color)-(engraving code)	International seeTouch QS non-insert style 7-button faceplate kit with raise/lower
QSWER-8BRLN-(color)-(engraving code)	International seeTouch QS non-insert style 8-button faceplate kit with raise/lower
QSWER-8BRLIRN-(color)-(engraving code)	International seeTouch QS non-insert style 8-button faceplate kit with infrared receiver and raise/lower
QSWER-10BRLN-(color)-(engraving code)	International seeTouch QS non-insert style 10-button faceplate kit with raise/lower

International seeTouch® QS Button Kits (insert style)

International seeTouch QS Button Kits (insert style)

Color options: Limited International and Architectural Matte Finishes—Arctic White, Gray, Black
(see page 21 for color and engraving codes)




QSWEB-2BI-(color)-(engraving code)	International seeTouch QS insert style 2-button button kit
QSWEB-3BI-(color)-(engraving code)	International seeTouch QS insert style 3-button button kit
QSWEB-4BI-(color)-(engraving code)	International seeTouch QS insert style 4-button button kit
QSWEB-5BRLI-(color)-(engraving code)	International seeTouch QS insert style 5-button button kit with raise/lower
QSWEB-5BRLIRI-(color)-(engraving code)	International seeTouch QS insert style 5-button button kit with infrared receiver and raise/lower
QSWEB-6BRLI-(color)-(engraving code)	International seeTouch QS insert style dual button kit with 3-button and 3-button with raise/lower
QSWEB-7BRLI-(color)-(engraving code)	International seeTouch QS insert style 7-button button kit with raise/lower
QSWEB-8BRLI-(color)-(engraving code)	International seeTouch QS insert style 8-button button kit with raise/lower
QSWEB-8BRLIRI-(color)-(engraving code)	International seeTouch QS insert style 8-button button kit with infrared receiver and raise/lower
QSWEB-10BRLI-(color)-(engraving code)	International seeTouch QS insert style 10-button button kit with raise/lower

International seeTouch® QS Button Kits (non-insert style)

International seeTouch QS Button Kits (non-insert style)

Color options: Limited International and Architectural Matte Finishes—Arctic White, Gray, Black
(see page 21 for color and engraving codes)

	QSWEB-2BN-(color)-(engraving code)	International seeTouch QS non-insert style 2-button button kit
	QSWEB-3BN-(color)-(engraving code)	International seeTouch QS non-insert style 3-button button kit
	QSWEB-4BN-(color)-(engraving code)	International seeTouch QS non-insert style 4-button button kit
	QSWEB-5BRLN-(color)-(engraving code)	International seeTouch QS non-insert style 5-button button kit with raise/lower
	QSWEB-5BRLIRN-(color)-(engraving code)	International seeTouch QS non-insert style 5-button button kit with infrared receiver and raise/lower
	QSWEB-6BRLN-(color)-(engraving code)	International seeTouch QS non-insert style dual button kit with 3-button and 3-button with raise/lower
	QSWEB-7BRLN-(color)-(engraving code)	International seeTouch QS non-insert style 7-button button kit with raise/lower
	QSWEB-8BRLN-(color)-(engraving code)	International seeTouch QS non-insert style 8-button button kit with raise/lower
	QSWEB-8BRLIRN-(color)-(engraving code)	International seeTouch QS non-insert style 8-button button kit with infrared receiver and raise/lower
	QSWEB-10BRLN-(color)-(engraving code)	International seeTouch QS non-insert style 10-button button kit with raise/lower

Colors/Finishes

GRAFIK Eye® QS Units and Faceplates

Stripe Kits

Seetouch® QS Wallstations and Replacement Faceplates

Architectural

Matte Finishes:

WH	White
IV	Ivory
BE	Beige
AL	Almond
LA	Light Almond
GR	Gray
BR	Brown
BL	Black

Architectural

Metal Finishes:

BB	Bright Brass
BC	Bright Chrome
BN	Bright Nickel
SB	Satin Brass
SC	Satin Chrome
SN	Satin Nickel
QB	Antique Brass
QZ	Antique Bronze

Anodized Aluminum

Finishes:

CLA	Clear
BLA	Black
BRA	Brass

Satin Colour

Matte Finishes:

HT	Hot
MR	Merlot
PL	Plum
TQ	Turquoise
TC	Terracota
GB	Greenbriar
BG	Bluestone
MS	Mocha Stone
SG	Sea Glass
TP	Taupe
ES	Eggshell
BI	Biscuit
GS	Goldstone
DS	Desert Stone
ST	Stone
LS	Limestone
SW	Snow
PD	Palladium
MN	Midnight
SI	Sienna

International Seetouch QS Wallstations and Replacement Faceplates

International Finishes:

AR	Argentum
MC	Mica
AW	Arctic White

Architectural Metal Finishes:

AU	Gold
BB	Bright Brass
BC	Bright Chrome
BN	Bright Nickel
SB	Satin Brass
SC	Satin Chrome
SN	Satin Nickel
QB	Antique Brass
QZ	Antique Bronze

Button Kits

Architectural

Matte Finishes:

WH	White
IV	Ivory
BE	Beige
AL	Almond
LA	Light Almond
GR	Gray
BR	Brown
BL	Black

Satin Colour

Matte Finishes:


BI	Biscuit
ES	Eggshell
SW	Snow
TP	Taupe

Engraving Codes

EGN	General Engraving
SGN	Symbol Based Engraving
NST	Non-Standard Text Engraving
E01	Standard Engraving for Shades Keypads
	No Engraving Required (omit code - Prepaid Engraving Certificate will ship with faceplate/keypad)

GRAFIK Eye® QS Color Combinations

Standard Color Combinations			
Suffix	Faceplate* (F)	Stripe (S)	Button (B)
Architectural Matte			
WH	White	Gray	White
IV	Ivory	Beige	Ivory
BE	Beige	Ivory	Beige
GR	Gray	Black	Gray
BR	Brown	Black	Brown
BL	Black	Gray	Black
AL	Almond	Light Almond	Almond
LA	Light Almond	Almond	Light Almond
Architectural Metal			
BB	Bright Brass	Black	Black
BC	Bright Chrome	Black	Black
BN	Bright Nickel	Black	Black
SB	Satin Brass	Black	Black
SC	Satin Chrome	Black	Black
SN	Satin Nickel	Black	Black
QB	Antique Brass	Black	Black
QZ	Antique Bronze	Black	Black
Anodized Metal			
CLA	Clear	Black	Black
BLA	Black	Black	Black
BRA	Brass	Black	Black




* Faceplate is comprised of a top and bottom. The bottom will always be the color indicated under “faceplate.” The top may be the same color or translucent. Use the chart for faceplates that have the same color top and bottom. If a translucent lid is chosen, the stripe will automatically be the same color as the bottom lid.

Example:

If you order QSGRJ-4P-1WH, your GRAFIK Eye QS with 4 lighting zones and 1 shade zone will come with a White faceplate (both top and bottom), Gray stripe, and White buttons.

GRAFIK Eye® QS Color Combinations

Standard Color Combinations			
Suffix	Faceplate* (F)	Stripe (S)	Button (B)
Satin Color Matte			
MN	Midnight	Gray	Black
TP	Taupe	Gray	Taupe
SW	Snow	Gray	Snow
ES	Eggshell	Beige	Eggshell
BI	Biscuit	Eggshell	Biscuit
LS	Limestone	Gray	Gray
ST	Stone	Gray	Gray
DS	Desert Stone	Taupe	Taupe
TC	Terracotta	Taupe	Taupe
BG	Blue Stone	Gray	Gray
HT	Hot	Taupe	Taupe
MR	Merlot	Taupe	Taupe
SI	Sienna	Brown	Brown
GB	Greenbriar	Gray	Gray
SG	Sea Glass	Gray	Gray
MS	Mocha Stone	Taupe	Taupe
GS	Gold Stone	Ivory	Ivory
PD	Palladium	Gray	Gray
PL	Plum	Taupe	Taupe
TQ	Turquoise	Gray	Gray









* Faceplate is comprised of a top and bottom. The bottom will always be the color indicated under “faceplate.” The top may be the same color or translucent. Use the chart for faceplates that have the same color top and bottom. If a translucent lid is chosen, the stripe will automatically be the same color as the bottom lid.




Example:




If you order QSGFP-1TMR, your faceplate kit will come with a Merlot bottom faceplate, a translucent top, Taupe stripe, and Taupe buttons.

Pico® Wireless Controllers and Pedestals






Pico Wireless Controller, 434 MHz (see below for color options/ codes, available only with lighting icon engraving)		
	MRF2-3BRL-L-(color)	Battery operated 3-button w/ raise/lower control, gloss
Pico Wireless Controller for Systems with Main Repeater, 434 MHz (see below for color options/ codes and engraving codes)		
	QSR4P-3R-(color)-(engraving code)	Battery operated 3-button w/ raise/lower control, gloss
Pico Wireless Controller, 868 MHz (see below for color options/ codes and engraving codes)		
	QSR8P-3R-(color)-(engraving code)	Battery operated 3-button w/ raise/lower control, gloss
Pico Wireless Accessories		
	L-PED1-WH	Single mount pedestal, gloss white
	L-PED1-BL	Single mount pedestal, gloss black
	L-PED2-WH	Dual mount pedestal, gloss white
	L-PED2-BL	Dual mount pedestal, gloss black
	PICO-FP-ADAPT	Faceplate adaptor

Pico Wireless Control Colors/ Finishes and Engraving Code









Colors/Finishes 434 MHz	
Add Color/finish suffix to the model number to order. Example: QSR4P-3R-BL-E01 (Pico Wireless Controller in Black with light icon engraving)	
Color/Finish	Engraving Codes
WH White	E01 Light icon 
WG White/Grey	E02 Shade icon 
BL Black	E05 Shade 1
AL Almond	E06 Shade 2
LA Light Almond	E07 Screen
IV Ivory	E08 Drape icon 
	E09 Blackout
	E10 Sheer





Colors/Finishes 868 MHz	
Add Color/finish suffix to the model number to order. Example: QSR8P-3R-BL-I01 (Pico Wireless Controller in Black with light icon engraving)	
Color/Finish	Engraving Codes
WH White	I01 Light icon 
WG White/Grey	I02 Shade icon 
BL Black	I08 Drape icon 
AL Almond	
LA Light Almond	
IV Ivory	

GRAFIK Eye® QS Interfaces and Power Modules





Control Interfaces		
	GRX-TVI	120/ 277 V phase control to 0-10 V interface
	QSE-CI-NWK-E	GRAFIK Eye QS/Sivoia® QS Ethernet interface
	QSE-IO	Contact closure interface, 5 inputs and 5 outputs configurable for scene selection, zone toggling, partition sensing, panic mode, and shade selection
	QSE-CI-DMX	GRAFIK Eye QS DMX integration interface
	LUT-19AV-1U	A/V mounting rack for QSE-CI-NWK-E and QSE-IO
	LUT-5X10-ENC	Wall mount enclosure that holds 1 Lutron® control interface for QSE-CI-NWK-E and QSE-IO
Power Modules		
	PHPM-PA-DV-WH	120/277 V dual voltage phase control input phase-adaptive output power module, white
	PHPM-PA-120-WH	120 V phase control input phase-adaptive output power module, white
	PHPM-3F-DV-WH	120/277 V dual voltage phase control input 3-wire fluorescent output power module, white
	PHPM-3F-120-WH	120 V phase control input 3-wire fluorescent output power module, white
	PHPM-SW-DV-WH	120/277 V dual voltage phase control input switched output power module, white

GRAFIK Eye® QS Power Supplies and Accessories

QS Link Power Supply		
	QSPS-P1-1-50	QS Link Power Supply for one Sivoia® QS shade, up to 8 seeTouch® QS keypads, or 3 control interfaces
	QSPS-P2-1-50	Continental Europe. Powers 1 wired blind/curtain, provides power to QS blinds, keypads, and accessories, plugs in to a standard receptacle, universal input voltage
	QSPS-P3-1-50	United Kingdom. Powers 1 wired blind/curtain, provides power to QS blinds, keypads, and accessories, plugs in to a standard receptacle, universal input voltage
Accessories		
	GRX-CBL-346S-500	Low-voltage cable
	GRX-IRPS-WH	Infrared Partition Sensor (Requires a GRX-12 VDC and either a QSE-IO or a QSWS2, ordered separately.)
	GRX-12VDC	12 VDC plug-in Class 2 transformer (for GRX-IRPS-WH only)
	GRX-IT-WH	4-scene wireless infrared remote control
	GRX-8IT-WH	8-scene wireless infrared remote control

Wired Occupancy Sensors (ceiling mount)		
	LOS-CDT-500-WH	Dual Tech, 500 sq ft, active high, 20-24 VDC, white
	LOS-CDT-500R-WH	Dual Tech, 500 sq ft, active high, 20-24 VDC, white, with dry contact relay
	LOS-CDT-1000-WH	Dual Tech, 1000 sq ft, active high, 20-24 VDC, white
	LOS-CDT-1000R-WH	Dual Tech, 1000 sq ft, active high, 20-24 VDC, white, with dry contact relay
	LOS-CDT-2000-WH	Dual Tech, 2000 sq ft, active high, 20-24 VDC, white
	LOS-CDT-2000R-WH	Dual Tech, 2000 sq ft, active high, 20-24 VDC, white, with dry contact relay
	LOS-CUS-500-WH	Ultrasonic, 500 sq ft, active high, 20-24 VDC, white
	LOS-CUS-1000-WH	Ultrasonic, 1000 sq ft, active high, 20-24 VDC, white
	LOS-CUS-2000-WH	Ultrasonic, 2000 sq ft, active high, 20-24 VDC, white
	LOS-CIR-450-WH	Infrared, 450 sq ft, active high, 20-24 VDC, white
	LOS-CIR-1500-WH	Infrared, 1500 sq ft, active high, 20-24 VDC, white
Wired Occupancy Sensors (wall mount)		
	LOS-WDT-WH	Dual Tech, 1600 sq ft, active high, 20-24 VDC, white
	LOS-WDT-R-WH	Dual Tech, 1600 sq ft, active high, 20-24 VDC, white, with dry contact relay
	LOS-WIR-WH	Infrared, 2500 sq ft, active high, 20-24 VDC, white
Wired Daylight Sensor (ceiling mount)		
	EC-DIR-WH	Sensor with infrared receiver, white
Occupancy Sensor Power Packs		
	PP-120H	120 V, active high
	PP-277H	277 V, active high
	PP-230H	230 V, active high
	PP-347H	347 V, active high
	PP-SH	Auxiliary, active high, Draws 24 VDC

GRAFIK Eye® QS Wireless Sensors

Radio Powr Savr Wireless Occupancy/Vacancy Sensor, 434 MHz (ceiling mount)		
	LRF2-OCRB-P-BL	Infrared, 37.2 sq m (400 sq ft), battery powered sensor, black
	LRF2-OCRB-P-LA	Infrared, 37.2 sq m (400 sq ft), battery powered sensor, light almond
	LRF2-OCRB-P-WH	Infrared, 37.2 sq m (400 sq ft), battery-powered sensor, white
Radio Powr Savr Wireless Vacancy Sensor, 434 MHz (ceiling mount)		
	LRF2-VCRB-P-BL	Infrared, 37.2 sq m (400 sq ft), battery-powered sensor, black
	LRF2-VCRB-P-LA	Infrared, 37.2 sq m (400 sq ft), battery-powered sensor, light almond
	LRF2-VCRB-P-WH	Infrared, 37.2 sq m (400 sq ft), battery-powered sensor, white
Radio Powr Savr Wireless Occupancy/Vacancy Sensor, 868 MHz (ceiling mount)		
	LRF3-OCRB-P-WH	Infrared, 37.2 sq m (400 sq ft), battery-powered sensor, white
Radio Powr Savr Wireless Daylight Sensor, 434 MHz (ceiling mount)		
	LRF2-DCRB-WH	Battery-powered sensor, white