


Project: Type: **Prepared By:** Date:



#### **Features and Benefits**

Energy efficient replacement for incandescent and halogen lamps Constructed from durable plastic which lowers risk of breakage Rated for use in enclosed and open fixtures in dry or damp locations

Frosted lens produces smooth diffuse light

and maintenance costs **ENERGY STAR Compliant** 

### **Technical Specifications**

Performance

**Product Type:** 

A-Line 3 Way

Input Wattage:

4.5W/9W/14.5W

Lumens (Nominal):

500/900/1,550lm

L70 Lifespan:

15,000-Hour LED lifespan based on IES LM-70 results

Wattage Equivalency:

40W/60W/100W

**LED Characteristics** 

Color Accuracy (CRI):

**Color Temperature:** 

3000K

**Electrical** 

**Power Factor:** 

>0.9

Dimmable:

Non-Dim

Input Voltage:

120V

**Operating Frequency:** 

60 Hz

**Operating Temperature:** 

-20°C to 40°C

Construction

**Bulb Shape:** 

A19

**Enclosure Material:** 

Plastic

**Housing Finish:** 

White

Lens Finish:

Frosted

Base Type:

E26 Edison

Optical

Beam Angle:

200°

Other

Technology EQ:

Incandescent

Warranty:

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.

Compliance

Listings:

**UL** Listed

**Environment/Fixture Rating:** 

Damp / Open

# **Technical Specifications (continued)**

## **Energy Star Approved:**

This product is ENERGY STAR® Version 2.0 Certified

## **Energy Star ID:**

2367403

### **RoHS:**

Mercury and UV free. RoHS-compliant components.

#### FCC:

Complies with Part 15B of the FCC Rules

#### **Model Number for Certification:**

A10053(A19-4.5/9/14.5-E26-830-3WAY)

# **Minimum Compartment Size**

Length x Width x Height [in]	Lamp Quantity	
15	1	

## **Case and Pallet Dimensions**

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	12	0	0	0
PALLET	1764	0	0	0

