

Project:	Type:	Prepared By:	Date:
-----------------	--------------	---------------------	--------------



Features and Benefits

- Produces rich and vibrant colors >90CRI
- Energy efficient replacement for incandescent and halogen lamps
- Constructed from durable plastic which lowers risk of breakage
- Rated for use in enclosed and open fixtures in dry or damp locations
- Frosted lens produces smooth diffuse light
- Longer lifespan compared to legacy equivalents minimizes replacement and maintenance costs
- ENERGY STAR Compliant, Title 20 Compliant
- Dimmable with common dimmer types (check compatibility list)

Technical Specifications		
Performance	For Use Outdoors in Open Fixtures:	Flicker:
Product Type: A-Line	No	<30%
Input Wattage: 6W	LED Characteristics	Optical
Wattage Equivalency: 40W Incandescent	Color Temperature: 3000K Warm White	Beam Angle: 230°
Lumens (Nominal): 450lm	Color Accuracy (CRI): 90 CRI	Other
Efficacy: 75lm/W	Electrical	Warranty:
L70 Lifespan: 25,000 Hours	Power Factor: 0.9	RAB warrants that our LED products will be free from defects in materials and workmanship for a period of four (4) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty .
Construction	Operating Temperature: -20°C to 45°C (-4°F to 113°F)	Compliance
Bulb Shape: A19	Dimmable: Yes, down to 10%	UL Listed: Yes
Base Type: E26 Edison	Input Voltage: 120V	Energy Star Approved: This product is ENERGY STAR® Version 2.0 Certified
	Operating Frequency: 60 Hz	

Technical Specifications (continued)


Energy Star ID:
2330065

California Energy Commission (CEC) Status:
Lawful for Sales in California

Case and Pallet Dimensions

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	12	10	7.6	5
PALLET	3456	45.4	40	46.1

Dimension



Light Distribution

