

Project:

Type:

Prepared By:

Date:



UPC: 192552000086

Features and Benefits

- Energy-efficient replacement for incandescent and halogen lamps
- Durable plastic construction reduces risk of breakage
- Rated for use in enclosed and open fixtures in dry or damp locations
- Frosted lens delivers smooth, diffuse light
- Longer lifespan compared to legacy equivalents minimizes replacement and maintenance costs

Technical Specifications

Performance

Product Type:

A-Line

Input Wattage:

16.5W

Lumens (Nominal):

2,200lm

L70 Lifespan:

25,000-Hour LED lifespan based on IES LM-70 results

Wattage Equivalency:

125W

LED Characteristics

Color Accuracy (CRI):

80

Color Temperature:

3000K

Electrical

Power Factor:

>0.9

Dimmable:

Non-Dim

Input Voltage:

120-277V AC

Operating Frequency:

60 Hz

Operating Temperature:

-20°C to 45°C (-4°F to 113°F)

Construction

Bulb Shape:

A21

Enclosure Material:

Plastic

Housing Finish:

White

Lens Finish:

Frosted

Base Type:

E26 Edison

Optical

Beam Angle:

230°

Other

Technology EQ:

Incandescent

Warranty:

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.

Compliance

Listings:

UL Recognized

Environment/Fixture Rating:

Damp / Enclosed

Technical Specifications (continued)

Energy Star Approved:

This product is ENERGY STAR® Version 2.0 Certified

Energy Star ID:

2366324

RoHS:

Mercury and UV free. RoHS-compliant components.

FCC:

Complies with Part 15B of the FCC Rules

Model Number for Certification:

A10056(A21-16.5-E26-830-ND)

Minimum Compartment Size

Length x Width x Height [in]	Lamp Quantity
10	1

Case and Pallet Dimensions

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	0	0	0	0
PALLET	1344	0	0	0

Dimension

