

Project: Type: Prepared By: Date:



## **Features and Benefits**

Energy efficient replacement for incandescent and halogen reflector lamps

Constructed from durable plastic which lowers risk of breakage

Rated for use in enclosed and open fixtures in dry or damp locations

Frosted lens produces smooth diffuse light

 $Longer\ life span\ compared\ to\ legacy\ equivalents\ minimizes\ replacement\ and\ maintenance\ costs$ 

**ENERGY STAR Compliant** 

Dimmable with common dimmer types (see Dimmer Compatibility List)

## **Technical Specifications**

Performance

**Product Type:** 

Reflector

Input Wattage:

14W

Lumens:

1,400lm

Efficacy: 100lm/W

L70 Lifespan:

25,000-Hour LED lifespan based on IES LM-70 results

Wattage Equivalency:

100W Halogen

Compliance

**UL Listed:** 

Suitable for damp locations

**Enclosed Fixtures:** 

Suitable for use in enclosed fixtures

**LED Characteristics** 

**Color Temperature:** 

3000K

Color Accuracy (CRI):

>80 CRI

Beam Angle:

110°

Electrical

Power Factor:

>0.9

Dimmable:

Yes

**Operating Temperature:** 

-20°C to 40°C

Input Voltage:

120V

**Operating Frequency:** 

60 Hz

Construction

**Bulb Shape:** 

BR30

**Enclosure Material:** 

Plastic

Installation

Base Type:

E26 Edison

Other

3-Year, No-Compromise Warranty:

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.



## **Case and Pallet Dimensions**

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	6	12.1	8.2	6
PALLET	0	0	0	0

