



Color: Bronze

Weight: 3.8 lbs

| | |
|---------------------|--------------|
| Project: | Type: |
| Prepared By: | Date: |

Technical Specifications

Performance

Product Type:

Emergency Unit

Description:

Decorative Outdoor Die-Cast AC/Emergency Unit

Input Wattage:

2.8W

Lumens:

1286lm AC; 350lm DC

Electrical

Power Factor:

0.3

Input Voltage:

Dual 120/277Vage

Operating Frequency:

50/60Hz

Input Current @ 120V (mA):

23mA

Input Current @ 277V (mA):

10mA

Operating Temperature:

-4°F to 122°F (-20°C to 50°C)

Emergency Illumination:

90 minutes

Battery Type:

Nickel Cadmium

Battery Voltage:

4.8V

Recharge Time Required:

24-hours

Storage Temperature:

68°F to 86°F (20°C to 30°C)

Storage Shelf Life:

3 years before the initial charge. 5 years after initial charge.

Self Diagnostics:

Self-Diagnostics

Installation

Mounting Method:

Back

Mounting Type:

Wall Mount

Maximum Mounting Height (ft.):

10 ft

Cold Weather Rated:

Yes

Emergency Egress Coverage(ft) Mounting at height of 7.5ft:

29 ft x 3 ft mounted @ 7.5 ft

Construction

Shape:

Rectangle

Housing Material:

Die Cast Aluminum

Housing Finish:

Bronze

Remote Capacity:

No Remote Capacity

Compliance

Environment:

Suitable for indoor or outdoor use in dry, damp, and wet environments

Model Number for Certification:

DBEL-ACEM-HL-BR-SDT-PC-CW

T20 Compliant:

Not Compliant

Technical Specifications (continued)

California Title 24 JA8 Compliant:

Not applicable

California Energy Commission (CEC) Status:

Lawful for Sales in California

FCC:

Complies with Part 15B of the FCC Rules

Other

Warranty:

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of five (5) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.

Battery is prorated.


Note:

All values are typical (tolerance +/- 10%)

Buy American Act Compliance:

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

Dimensions



Ordering Matrix

| Family | High Lumen | Self Testing | CEC | Cold Weather | Photocell | Lamp |
|--------|---|---|---|---|---|---|
| EMOUT | | S | | C | /PC | |
| | Blank = No High Lumen H = High Lumen | Blank = No Self Testing S = Self Testing | Blank = No California Title 20 CEC = California Title 20 | Blank = Wet located Rated C = Cold Weather | Blank = No Photocell /PC = Photocell | Blank = No Lamp M = MR16 |