
EM-RCH

RAB



Project:	Туре:
Prepared By:	Date:

Technical Specifications

Performance Product Type: Emergency Unit Chicago Approved

Description: Chicago Approved Steel Emergency Unit

Input Wattage: 8.4W @120V; 9.4W @277V

Electrical Power Factor: 0.9

Input Voltage: Dual 120/277Vage

Operating Frequency: 60 Hz

Input Current @ 120V (mA): 80mA

Input Current @ 277V (mA): 40mA

Maximum Output Current (Amps): 0.90A

Maximum Output Wattage: 5.4W

Operating Temperature: 68°F to 122°F (20°C to 50°C)

Emergency Illumination: 90 minutes

Battery Type: Sealed Lead Acid

Battery Voltage: 6V

Recharge Time Required: 24-hours

Storage Temperature: 68°F to 86°F (20°C to 30°C)

Storage Shelf Life: 1 year before the initial charge.

Self Diagnostics: Manual Test

Installation Mounting Method: Back

Mounting Type: Wall Mount Maximum Mounting Height (ft.): 36 ft

Cold Weather Rated: No

Emergency Egress Coverage(ft) Mounting at height of 7.5ft: 60 ft x 3 ft mounted @ 7.5 ft

Construction

Shape: Rectangle

Housing Material: Steel Sheet

Housing Finish: White

Remote Capacity: Yes

No. of Heads: 2-Lamp Heads

Head Shape: Round

Remote Head Power (W): 5W

EM-RCH



Technical Specifications (continued)

Remote Head Lumens (Lm):

335lm

Compliance

Environment: Suitable for indoor use in dry and damp environments

Model Number for Certification: CAEMW

T20 Compliant: Not Compliant

California Title 24 JA8 Compliant: Not applicable

California Energy Commission (CEC) Status: Lawful for Sales in California

FCC:

Complies with Part 15B of the FCC Rules

Other

2 Yr Limited Warranty:

The RAB 2-year, limited warranty covers light output, driver performance and paint finish. RAB's warranty is subject to all terms and conditions found at <u>rablighting.com/warranty</u>. Battery is prorated.

Note:

All values are typical (tolerance +/- 10%)

Buy American Act Compliance:

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

EM-RCH

