EXIT34-G/E

RAB



Project:	Туре:
Prepared By:	Date:

Technical Specifications

Performance Product Type: Exit Sign

Description: Ultra-economy exit sign with universal faces with green letters and 90-minutes of emergency backup.

Input Wattage: 1W @120V and 277V

Electrical Power Factor: ≥0.9 @ 120V; ≥0.4 @ 277V

Input Voltage: Dual 120/277Vage

Operating Frequency: 60Hz

Input Current @ 120V (mA): 90mA

Input Current @ 277V (mA): 90mA

Operating Temperature: 32°F to 122°F (0°C to 50°C)

Emergency Illumination: 90 minutes

Battery Backup: Battery Backup

Battery Type: Nickel Cadmium

Battery Voltage: 1.2V

Recharge Time Required: 24-hours

Storage Temperature: 68°F to 86°F (20°C to 30°C)

Storage Shelf Life: 3 years before the initial charge. 5 years after initial charge.

Self Diagnostics: Manual Test

Installation Mounting Method: Back/Top/End

Mounting Type: Wall/Ceiling Mount Cold Weather Rated: No

Construction Shape: Rectangle

Housing Material: Thermoplastic

Panel Material: Thermoplastic

Panel Color: White

Letter Color: Green

Housing Finish: White

Number of Faces: Universal Single/Double Face

Sign Format: Stencil

Remote Capacity: No Remote Capacity

EXIT34-G/E



Technical Specifications (continued)

Compliance

Listings:

UL924 Listed, NFPA 101 (current Life Safety Code), NEC and OSHA illumination standards

Environment:

Suitable for indoor use in dry and damp environments

IP Rating:

Indoor

Model Number for Certification:

EZRXTEU2GWEM-V2

T20 Compliant:

Can be used to conform with the requirements of California Title 20

California Title 24 JA8 Compliant:

Not applicable

California Energy Commission (CEC) Status:

Lawful for Sales in California

FCC:

Complies with Part 15B of the FCC Rules

Other

5 Yr Limited Warranty:

The RAB 5-year, limited warranty covers light output, driver performance and paint finish. RAB's warranty is subject to all terms and conditions found at <u>rablighting.com/warranty.</u> Battery is prorated.

Note:


All values are typical (tolerance +/- 10%)

Buy American Act Compliance:

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

EXIT34-G/E

Dimensions



Ordering Matrix				
Family	Face	Exit Sign Letter Color	Housing	Battery Backup
EXIT34		G		/E
	Blank = Universal Faces	Blank = Red G = Green RG = Red/Green Selectable	Blank = White Housing	Blank = No Battery Backup /E = Battery Backup