



<b>Project:</b>	<b>Type:</b>
<b>Prepared By:</b>	<b>Date:</b>

## Technical Specifications

### Performance

#### Product Type:

Chicago Approved Steel Exit/Stair Sign

#### Description:

Chicago Approved exit sign with a universal face and red letters.

#### Input Wattage:

5W @120V and 277V

### Electrical

#### Power Factor:

≥0.4

#### Input Voltage:

Dual 120/277Vage

#### Operating Frequency:

60Hz

#### Input Current @ 120V (mA):

10mA

#### Input Current @ 277V (mA):

50mA

#### Operating Temperature:

32°F to 122°F (0°C to 50°C)

#### Battery Backup:

AC Only

#### Storage Temperature:

68°F to 86°F (20°C to 30°C)

#### Self Diagnostics:

Manual Test

### Installation

#### Mounting Method:

Top/End

#### Mounting Type:

Wall/Ceiling Mount

#### Cold Weather Rated:

No

### Construction

#### Shape:

Rectangle

#### Housing Material:

Steel Sheet

#### Panel Material:

Glass

#### Panel Color:

White

#### Letter Color:

Red

#### Housing Finish:

White

#### Number of Faces:

Universal Single/Double Face

#### Arrow Direction:

Left/Right Arrow

#### Sign Format:

Panel

#### Remote Capacity:

No Remote Capacity

### Compliance

#### Listings:

UL924 Listed, NFPA 101 (current Life Safety Code), NEC and OSHA illumination standards

#### Environment:

Suitable for indoor use in dry and damp environments

#### IP Rating:

Indoor

## Technical Specifications (continued)

**Model Number for Certification:**

CAXTEU2RW-LARA

**T20 Compliant:**

Can be used to conform with the requirements of California Title 20

**California Title 24 JA8 Compliant:**

Not applicable

**California Energy Commission (CEC) Status:**

Lawful for Sales in California

**City Compliance:**

Chicago Approved

**FCC:**

Complies with Part 15B of the FCC Rules

**Other****Warranty:**

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of five (5) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at [rablighting.com/warranty](http://rablighting.com/warranty).


**Note:**

All values are typical (tolerance +/- 10%)

**Buy American Act Compliance:**

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

## Dimensions



## Ordering Matrix

Family	Face	Exit Sign Letter Color	Arrows	Housing	State	Battery Backup	Remote Capable
EXIT			LRA		CH		
	<b>Blank</b> = Universal Faces 1 = 1 Face	<b>Blank</b> = Red <b>G</b> = Green	<b>Blank</b> = No Arrow <b>DA</b> = Double Arrow <b>LA</b> = Left Arrow <b>RA</b> = Right Arrow <b>LRA</b> = Left Right Arrow	<b>Blank</b> = White Housing	<b>CH</b> = Chicago <b>NY</b> = New York	<b>Blank</b> = No Battery Backup <b>/E</b> = Battery Backup	<b>Blank</b> = No Remote Capable <b>R</b> = Remote Capable