



UPC: 192552024372

Color: White

Weight: 0.3 lbs

Project:	Type:
Prepared By:	Date:

Technical Specifications

Performance

Product Type:

PAR30L

Description:

This dimmable, PAR30L is a perfect replacement for legacy halogen lamps. This lamp offers >80 CRI, wet rated, and great for use outdoors.

Wattage Equivalency:

75W Halogen

Input Wattage:

8W

Lumens (Nominal):

800lm

Efficacy:

100lm/W

L70 Lifespan:

25,000-Hour LED lifespan based on IES LM-70 results

Beam Angle:

40-degree

Electrical

THD:

<80%

Power Factor:

>0.7

Dimmable:

Yes, TRIAC/ELV
See Dimmer Compatibility List

Input Voltage:

120V

Operating Frequency:

60 Hz

Operating Temperature:

-13°F to 113°F (-25°C to 45°C)

LED Characteristics

Color Accuracy (CRI):

≥80 CRI

R9 Value:

High color performance with R9 greater than or equal to 0

Color Consistency:

<6-step MacAdam Ellipse binning to achieve consistent fixture-to-fixture color

Construction

Base Type:

E26 Edison

Finish:

White

Bulb Shape:

PAR30L

Endcap Material:

Nickel-Aluminum

Enclosure Material:

Plastic

Lens:

Single optic and full face lens for precise beam angle control

Compliance

Listings:

UL Listed

Environment:

Suitable for use in indoor and outdoor application in dry, damp, and wet environments

Fixture Rating:

Suitable for use in enclosed fixtures

Energy Star Approved:

This product is ENERGY STAR® Version 2.2 Certified

Technical Specifications (continued)

T20 Compliant:

Not Compliant

California Title 24 JA8 Compliant:

Not Compliant

California Energy Commission (CEC) Status:

Not Lawful for Sales in California

NSF Listed:

No

RoHS:

Mercury and UV free. RoHS-compliant components.

FCC:

Complies with Part 15B of the FCC Rules

Other

Warranty:

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.

Note:

All values are typical (tolerance +/- 10%)


Buy American Act Compliance:

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

Case and Pallet Dimensions

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	12	16.457	12.402	6
PALLET	768	46.102	37.992	47.244

Dimension



Features

- Energy efficient replacement for incandescent and halogen PAR lamps
- Constructed from durable materials which lowers risk of breakage
- Rated for use in enclosed and open fixtures in wet locations
- Single optic and full face lens for precise beam angle control
- Longer lifespan compared to legacy equivalents minimizes replacement and maintenance costs
- Replacements for halogen PAR lamps. Dimmable LED with 80 CRI and wet rated, great for use outdoors.